VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM. (Deemed to be University)

M. Sc (TRAUMA CARE MANAGEMENT) DEGREE **EXAMINATION – August 2019 Second Year**

PRE HOSPITAL CARE

Time: Three hours

Sl.No. M21787

Maximum: 80 marks

(Answer all the Questions)

SECTION – A

I. Write essays of the following:

- 1. Types, Pathophysiology, clinical manifestations and management of Stroke
- 2. Classification/degree, assessment and treatment of burn victim.

SECTION – B

II. Write short notes of the following:

- 1. EMS roles and responsibilities
- 2. Types of fracture
- 3. General principles of lifting and moving
- 4. Civil disturbances
- 5. Types and symptoms of abruption placenta
- 6. Hypothermia
- 7. Upper gastrointestinal bleeding
- 8. Clinical features and treatment of Diabetic ketoacidosis

SECTION - C

III. Multiple choice questions: Select the single best response:

- 9. The type of shock develops due to cardiac tamponade is
 - A. Anaphylactic
 - B. Hypovolemic
 - C. Neurogenic
 - D. Obstructive
- 10. The system responsible for level of consciousness is
 - A. Respiratory
 - B. Reticular activating
 - C. Renal
 - D. Reproductive

 $(10 \times 1 = 10)$

 $(2 \times 15 = 30)$

 $(8 \times 5 = 40)$

- 11. The overstretching of ligament is termed as
 - A. Sprain
 - B. Strain
 - C. Subluxation
 - D. Dislocation
- 12. The immediate treatment of tension pneumothorax is
 - A. Intercostal drainage
 - B. Pericardiocentesis
 - C. Needle thoracocentesis
 - D. Incision and drainage

13. The position used during labour is

- A. Fowlers
- B. Supine
- C. Prone
- D. Lithotomy

14.All of the following are included in Cushing's triad except

- A. Bradycardia
- B. Palpitation
- C. Hypertension
- D. Abnormal respiration

17. The antidote for paracetamol overdose is

- A. Naloxone
- B. Physostigmine
- C. N-acetyl cystine
- D. Furosemide

18. The sign that denotes superficial edema and bruising in the subcutaneous fatty tissue around the umbilicus is

- A. Cullens
- B. Grey turners
- C. Kehrs
- D. Murphys

19. The ratio of Compression and ventilation in pediatric age group in two rescuer is

- A. 30:2
- B. 15:2
- C. 30:4
- D. 5:1

20. The code used in chemicals/toxic agents in containers is termed as

- A. Blue
- B. civil
- C. Brown
- D. Hazchem