Sl.No. M22223 Course Code: 2740303

VINAYAKA MISSION'S RESEARCH FOUNDATIONS, SALEM (Deemed to be University)

B.OPTOMETRY DEGREE EXAMINATION – February 2020Third Year

OCULAR DISEASES

Time: Three hours	Maximum: 80 marks
I Choose the best answer	$(10 \times 1 = 10)$
1. Entropion is of the eyelicationa) Outward turningb) Inward turning	
2. Irregular astigmatism is caused bya) Pellucid marginal degenerationb) Keratoconous	the following EXCEPT c) Terrian's marginal degeneration d) Keratoconjunctivitissicca
3. Ropy discharge is present ina) Bacterialb) Viral	conjunctivitis. c) Vernal d) Chlamydial
4 vision is affected in age ra) Peripheralb) Temporal	related macular degeneration. c) Nasal d) Central
5. Increased intraocular pressure cana) Corneal edemab) Corneal ulcer	
6. Neovascularisation of iris is seen ia) Systemic hypertensionb) Diabetic Miletus	c) Hyperthyroidism
7. Secondary glaucoma can be causeda) Uveitisb) Ocular trauma	c) Steroids
8refers to an acute infect the orbital septum. a) Orbital cellulitis b) Proptosis	c) Orbital Periostitis d) Orbital Mucormycosis
	cataract. c) Posterior Sub Capsular d) Posterior Polar
•	_ condition. c) BRVO d) Hypertensive retinopathy

II State whether the following statements are TRUE or FALSE	$(10 \times 1 = 10)$
---	----------------------

- 1. Stye is a painful lesion.
- 2. Rods and cones function can be tested with ERG.
- 3. Diabetic retinopathy can cause rhegmatogenous retinal detachment.
- 4. Marcus gunn pupil reacts normally to light.
- 5. Conjunctival xerosis is associated with vitamin A deficiency.
- 6. Colour vision is affected in cone dystrophy.
- 7. Retinitis pigmentosa causes bony spicules appearance of retina.
- 8. Peripheral iridotomy is done in open angle glaucoma.
- 9. Symblepheron can be present Steven Johnson syndrome.
- 10. Endophthalmitis is a complication of cataract surgery.

III Fill in the blanks:

 $(10 \times 1 = 10)$

1. Normal value of Schirmers I test is	
2. Iris bombe occurs in	
3. Capsule of lens is thinnest at	
4 is infection of lacrimal sac.	
5.Fleischer's ring is seen in condition.	
6. Enlargement of blindspot is a sign of	
7 ulcer is present in herpes simplex virus.	
8. Herbert's pit is seen in	
9. In posterior synechiae the iris adheres to	surface.
10. Pseudo-exfloiation cause glaucoma.	

IV Write any **FIVE** answers of the following:

 $(5 \times 6 = 30)$

- 1. Chalazion.
- 2. Types of corneal opacity.
- 3. Optic Atrophy.
- 4. Primary open angel glaucoma.
- 5. Chemical injuries.
- 6. Vitreous hemorrhage.
- 7. Ptosis and its types.

V Write any **TWO** essays of the following:

 $(2 \times 10 = 20)$

- 1. Proptosis.
- 2. Bacterial corneal ulcer.
- 3. Anterior Uveitis.

(Sl.No. M22223)